ETITEC C T2 275/20 1+0



Specificatii

Cod ETI	002440393
Descriere	ETITEC C T2 275/20 1+0
Denumire clasă	Protec ie supratensiuni
Tip	T2
AC max continous operating voltage Uc	275V
In (8/20)	20kA
Parte superioara - Nivel de protectie a tensiunii (kV)	1.5kV
Curent de scurgere	DA
Tehnologie aplicata	MOV
Semnalare la distan ă	NU
Sistem re ea	TN
Numarul de module	1
Adancime incorporata (mm)	66mm
Func ie	SPD
Grup Catalog	ETITEC C

Pagina de produse online

Alta documentatie


Catalog caracteristici tehnice
Model 3D
2D mușchi
Manual de instructiuni
Declaratie CE
Eplan mușchi


ETIM clasificare internationala

Clasificare	EC000941
Denumire clasă	Surge protection device for power supply systems
System configuration DC	Nu
System configuration IT	Nu
System configuration TN	Da
System configuration TN-C	Da
System configuration TN-S	Da
System configuration TT	Nu
System configuration other	Nu
Number of conductors (without earthing)	1
Nominal discharge surge current (8/20)	20
Nominal voltage AC	230
Short-circuit breaking capacity (Isccr)	25
Max. continuous voltage AC	275
Max. discharge surge current (8/20)	40
Mounting method	DIN rail (top hat rail) 35 mm
Construction size	1 modular spacing
Voltage protection level	1,5
Max. conductor cross section solid (solid, stranded)	35
Max. conductor cross section flexible (fine-strand)	25
With remote signalling contact	Nu
Integrated backup fuse	Nu
Signalling at the device	Optical
Category type 2	Da
Degree of protection (IP)	IP20


Desen cotat


ETITEC C T2 275/20 4+0 RC
ETITEC C T2 275/20 3+1 RC







ETITEC C T2 275/20 3+0 RC






ETITEC C T2 275/20 2+0 RC
ETITEC C T2 275/20 1+1 RC







ETITEC C T2 275/20 1+0 RC









Simbol/Conexiune




ETITEC C T2 G




ETITEC C T2 1+0 RC




ETITEC C T2 1+1 RC




ETITEC C T2 2+0 RC



ETITEC C T2 3+0 RC



ETITEC C T2 3+1 RC



ETITEC C T2 4+0 RC